



Product Code: EP1440H 10-185

EcoPro G2 1350 Litre Upright Marine Spec Refrigerated Cabinet



Features & Benefits

- Sleek, modern aesthetics, robust construction and market leading capacity. 'Smartphone style' fuzzy logic II touch sensitive control panel with high visibility temperature display
- Low energy refrigerant system with reduced running costs
- Improved internal fittings for easy cleaning
- Foster Circulair II air distribution system maximises efficient operation even when shelves are fully loaded
- Operates efficiently in ambients up to 32°C
- Includes legs, bulkhead brackets, marine shelves and latch handle
- Features Foster's new award-winning +stayclear condenser, revolutionising the effective operation of your refrigeration, ensuring your equipment works more efficiently for longer

Shelving

Additional S/S Trayslides	Option
Additional GN2/1 Shelf	Option

Refrigeration

R290 - Energy Efficient	Standard
Integral Refrigeration System	Standard
Less Condensing Unit	Option

Specification

Refrigerator +1/+4°C	Standard
Width (mm)	1440
Depth (mm)	820
Height (mm)	2123
Unpacked weight (Kgs)	182.5
Packed weight (Kgs)	199.1
Gross Volume (Ltr)	1350

Base Fittings

Castors 80mm	Standard
Legs 150mm	Option

Electrical & Service Data

Connect Load	655
230/50/1	Standard
220/60/1 Electrical Supply	Option
Fuse Required (A)	10
Refrigerant Charge (kg)	0.33

Finish

304 s/s	Standard
304 S/S back for island sitting	Option

Doors

Left and right hinged door	Standard
Marine - latch handle	Standard

Product Extras

Helicoil Mains Lead	Option
Marine Spec	Standard

Energy

AEC	1532.12
Nett Volume	964.6
Energy Grade	D
Global Warming Potential	1430
Energy Efficiency Index	69.84



Footnotes

- Marine kit option includes legs, bulkhead brackets, marine shelves and latch handle
- 150mm castors are not available if product is supplied less condensing unit
- Adequate airflow and service space must be kept above the top of cabinet: 310mm
- Depth with door open is 1500mm
- Decibel rating measured 1m high from the floor and 1m out from the cabinet

Energy Performance Data and information



Foster Refrigerator - a division of ITW Ltd
Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU
Tel: +44(0)1553 691322
Registered in England No. 00559693
VAT No. GB 792 4414 16



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.